# W10RK3S-EHH2, 10.1-inch E-Series HMI

## Smartly Designed to Satisfy the Needs of Industrial Automation

The E-Series HMI - W10RK3S-EHH2 is a 10.1-inch panel PC ideal for industrial machinery, equipment, control and automation applications in various factory scenarios and comes in an easy to deploy panel mounted option with no-drill mounting. Ease of use, durability, reliability, and accurate controls are essential to the safe and efficient operation of monitoring systems, and Winmate's E-Series HMI was designed with all of these qualities in mind in a cost-effective package.



### **Highlights**

- 10.1" 1280 x 800 Resolution with Projected Capacitive Multi-Touch (P-CAP)
- Arm® Dual-core Cortex®-A72 up to
  2.0GHz + Quad-core Cortex®-A53 up to 1.5GHz
- Fanless cooling system and ultra-low power consumption
- Front IP65 Water and Dust Proof
- 1 x USB 3.0, 1 x USB 2.0; 1 x RS232/422/485;
  1 x RJ45; 1 x Micro SD Slot; 1 x Micro HDMI;
  1 x USB OTG
- Supports PoE function



# W10RK3S-EHH2, 10.1-inch E-Series HMI

## Smartly Designed to Satisfy the Needs of Industrial Automation

#### **Display Specification**

10.1" TFT (Widescreen) Resolution 1280 x 800

Brightness 350 nits (typ.) Contrast Ratio 800:1 (typ.) Viewing Angle -85~85 (H);-85~85(V)

Max Colors 16.7M

Touch Projected Capacitive Multi-Touch (P-CAP)

Optional anti-glare coating

#### System Specification

System Memory

Arm Dual-core Cortex-A72 up to Processor

2.0GHz + Quad-core Cortex-A53 up to 1.5GHz 2GB LPDDR3L 1600 (Optional 4GB LPDDR3L)

16GB eMMC (default), Micro SD Card Storage

Operating System Android 7.1 (default)

#### Interface

1 x RS-232/422/485 Serial Ports

USB Ports 1 x USB 3.0, 1 x USB 2.0, 1 x USB OTG

SD Card Slot 1 x Micro SD Card Slot Ethernet 1 x RJ 45-10/100/1000 Mbps LAN support PoE function 1 x Micro HDMI **HMDI** 

### **Power Management**

Power Input 12V DC

Power Over Ethernet Power Device (PD) follows IEEE 802.3at (25 W),

IEEE 802.3af (15 W)

Power Consumption 12.9W

#### **Mechanical and Environment**

Cooling System Fanless design Mounting Mounting clips x 8 Dimensions (W x H x D) 267x 182x 57.6 (mm)


Panel Mount Front IP65 Design Design

#### **Environment**

Operating Temperature -10 °C to 50 °C

Operating Humidity 10% to 90% (non condensing)

#### Drawing





Release Date: 28-May-2019 V1.4